



Machine Tools

## USED Kingsland 55XS

Steelworker - Hydraulic

**£4,150**

Stock No. 4545607992U

### Machine Specifications

Pressure (Tons)	55 Ton
Punch Throat Depth	300mm
Punch Max Diameter Through Max Thickness	32mm x 13mm
Angles:(mm) at 90 Deg	130mm x 130mm x 13mm
Plate Shear: Length * Thickness (mm)	230mm x 20mm
Notching: Length*Width*Thickness (mm)	45mm x 90mm x 10mm
Round & Square	45mm



# KINGSLAND


WEYBOURNE ROAD,  
SHERINGHAM, NORFOLK  
MADE IN ENGLAND.

# 55XS

TEL: 0263-822153  
TELEX: 975110 CROPIT G.

## HYDRAULIC

### PUNCHING



BEFORE OPERATING ENSURE STRIPPER IS IN POSITION AND PUNCH IS CENTRAL IN DIE WITH EQUAL CLEARANCE OF 5% OF MATERIAL THICKNESS.

BENDING 55 TON FOR 200 x 15 / 8 x 5/8 FLAT BAR

### SECTION CUTTING

ROUND BAR ● MM 45 INCH 1 3/4  
SQUARE BAR ■ MM 45 INCH 1 3/4  
- WITH EXTRA BLADES -  
[ I ] UP TO MM 127 INCH 5  
ENSURE MATERIAL IS FIRMLY HELD AGAINST THE CORRECTLY SET SUPPORT.


### NOTCHING



### SHEARING



### ANGLE CUTTING



### DANGER

DAMAGE TO THE MACHINE OR INJURY TO THE OPERATOR MAY OCCUR IF THE CAPACITY OF THE MACHINE IS EXCEEDED.

ALL CAPACITIES ARE CALCULATED USING MATERIAL STRENGTH OF 45 KG/MM<sup>2</sup> 28 TON/IN<sup>2</sup>

MODEL TYPE NUMBER  
55 XS 13585

ALWAYS QUOTE SERIAL NUMBER WHEN ORDERING SPARES.





