



## Stock List

### USED Jones & Shipman 540

#### 1505308207U - Grinder - Hyd. Surface

Horizontal: Yes, Max Grinding Length X Width: 450 x 150, Max Workpiece Height: 230, Table Size: 600 x 160, Max Table Travel Longitudinal / Cross: 500 x 180, Max Grinding Wheel Dia X Width: 178 x 13, Grinding Wheel Speeds: 2880 rpm, Power Capacity: 415v/3ph/50hz, Mag chuck: Yes

£1,450



### USED Excel Optimum D320 x 630

#### 2025308212U - Centre Lathe

Spindle Turning Speed Range: Excel Optimum , Max. Swing-Dia. In Gap (mm): 320, Center Distance (mm): 630, Accessories: Digital Readout 3 & 4 Jaw Chucks Face Plate Fixed & Traveling Steadies 4 Way Tool Post 2 Drill Chucks Live Centre Fixed Centres Thread Gauge, Gap Bed: Yes

£2,250



# USED Gate Sturditurn

## 2025608231U - Centre Lathe

Turning Diameter Over Bed (mm): 375, Turning Diameter Over Slide (mm): 237, Center Distance (mm): 1600, Spindle Bore (mm): 37.5, Main Drive Power (KW/V/Hz): 5hp, Spindle Turning Speed Range: 45-2000 rpm, Feeds - Longitudinal: 0.0017 - 0.025, Feeds - Cross: 0.0006-0.0085, Accessories: 3 Jaw Chuck, Face plate

£2,250

# USED XYZ SMX2000

## 2505008216U - Milling - CNC Knee type Turret

Horizontal / Vertical / Universal: Vertical knee, Control + No Of Axis: Prototrak SMX 2 - axis, X/Y/Z Travel: 813 x 431 x 406mm, Table Size: 1270 x 254mm, Spindle Taper: R8, Spindle Speeds: 70 - 3600 rpm (Variable Speed), Feeds: Power Longitudinal, Power Capacity: 415v/3ph/50hz



# USED Hurco Hawk

## 2525008205U - CNC Bed Milling Machine

Traverses XYZ: : 1016 x 508 x 508mm , Spindle Taper:: ISO40 , Spindle Speed:: 80 - 3800rpm , Control: : Ultimax SSM , Quill Stroke:: 152mm , Table Size: : 1473 x 330mm, Accessories: Coolant, Low Volt Light, Manuals, Power Drawbar

£5,750



## USED Promach UE250

### 3005608187U - Bandsaw - Horizontal

Horizontal / Vertical / Manual / Semi Au: Horizontal, Cutting Diameter / Squares (mm): , Total Height: , Coolant System: yes, Motor rating: , Cutting Speed:

£995

---

## USED Thomas

### 3005608241U - Bandsaw - Horizontal

Horizontal / Vertical / Manual / Semi Au: Horizontal pull down, Cutting Diameter max.(mm): 160mm, Cutting rectangular: 160mm x 210mm, Down Feed: Pull down, Coolant System: Yes

£1,450

---

## USED Edwards 'DD'

### 4510308214U - Shear -Direct Drive Mechanical

Undercrank/ Overcrank / Production: Undercrank, Drive: Direct Drive, Plate Width - Max. (mm): 1250, Back Gauge: Rack & Pinion, Plate Thickness (mm): 3.25, Main Drive Power (KW/V/Hz): 415v

£2,750



## USED Most Makes

### 6585007267U - Mechanical servicing of machines

Service to most types of Eng Machines: Yes, Hourly onsite rate: See Website, Travelling: See Website, Mileage: See Website



# USED Most Makes

## 6585007268U - Electrical servicing of machines

Service to most types of Eng Machines: Yes, Hourly onsite rate: See Website, Travelling:  
See Website, Mileage: See Website

---

